B) at least one additive selected from the group consisting of

a) a polyethylene, or a mixture thereof,

b) a fatty acid alkanolamide, or a mixture thereof,

c) a polysilicic acid, or a mixture thereof, and

d) a polyurethane, or a mixture thereof; and

C) a dispersed polyorganosiloxane of formula (1)

(1) 

wherein

R^1 is OH, OR^2 or CH_3,

R^2 is CH_3 or CH_2CH_3,

R^3 is C_1-C_{20}alkoxy, CH_3, $CH_2CHR^4CH_2NHR^5$, or $CH_2CHR^4CH_2N(COCH_3)R^5$,

(2) 

or (3) 

or (4) 

R^4 is H or CH_3,

R^5 is H, $CH_2CH_2NHR^6$, C(=O)-R^7 or $(CH_2)_z$-CH_3,

z is 0 to 7,

R^6 is H or C(=O)-R^7,

R^7 is CH_3, CH_2CH_3 or $CH_2CH_2CH_2OH$,

R^8 is H or CH_3, and

the sum of X and Y is 40 to 4000;

or a dispersed polyorganosiloxane which comprises at least one unit of the formula (5)

(5) $(R^9)_v (R^{10})_w$ Si-A-B

wherein

R^9 is CH_3, CH_3CH_2 or phenyl,

R^{10} is -O-Si or -O-R^9,

the sum of v and w equals 3, and v does not equal 3,

A = $-CH_2CH(R^{11})(CH_2)_K$,

B = $-NR^{12}((CH_2)_l-NH)_mR^{12}$ or

(6)



n is 0 or 1,

when n is 0, U^1 is N, when n is 1, U^1 is CH,

l is 2 to 8,

k is 0 to 6,

m is 0 to 3,

R^{11} is H or CH_3,

R^{12} is H, C(=O)-R^{16}, $CH_2(CH_2)_pCH_3$ or

(7)



p is 0 to 6,

R^{13} is NH, O, $OCH_2CH(OH)CH_2N(butyl)$,or OOCN(butyl),

R^{14} is H, linear or branched C_1-C_4 alkyl, phenyl or $CH_2CH(OH)CH_3$,

R^{15} is H or linear or branched C_1-C_4alkyl,

R^{16} is CH_3, CH_2CH_3 or $(CH_2)_qOH$,

q is 1 to 6, and

U^2 is N or CH;

or a dispersed polyorganosiloxane of the formula (8)

(8) 

wherein

R^3 is as previously defined,

R^{17} is OH, OR^{18} or CH_3,

R^{18} is CH_3 or CH_2CH_3,

R^{19} is R^{20}-$(EO)_m$-$(PO)_n$-R^{21},

m is 3 to 25,

n is 0 to 10,

R^{20} is the direct bond or $CH_2CH(R^{22})(CH_2)_pR^{23}$,

p is 1 to 4,

R^{21} is H, R^{24}, $CH_2CH(R^{22})NH_2$ or $CH(R^{22})CH_2NH_2$,

R^{22} is H or CH_3,

R^{23} is O or NH,

R^{24} is linear or branched C_1-C_8 alkyl or $Si(R^{25})_3$,

R^{25} is R^{24}, OCH_3 or OCH_2CH_3,

EO is $-CH_2CH_2O-$,

PO is $-CH(CH_3)CH_2O-$ or $-CH_2CH(CH_3)O-$, and

the sum of X_1,Y_1 and S is 20 to 1500;

or a dispersed polyorganosiloxane of the formula (9)

(9) 

wherein

R^{26} is linear or branched C_1-C_{20}alkoxy, $CH_2CH(R^4)R^{29}$,

R^4 is as previously defined,

R^{29} is linear or branched C_1-C_{20}alkyl,

R^{27} is aryl, aryl substituted by linear or branched C_1-C_{10}alkyl, linear or branched C_1-C_{20}alkyl substituted by aryl or aryl substituted by linear or branched C_1-C_{10}alkyl

R^{28} is

(10) 

the sum of X^2, X^3, X^4 and Y^2 is 20 to 1500, wherein X^3, X^4 and Y^2 may be independently of each other 0;

or a mixture thereof.

23. **(new)** A method of use according to claim 22 wherein the polyorganosiloxane is of formula (1):

(1) 

wherein

R^1 is OH, OR^2 or CH_3,

R^2 is CH_3 or CH_2CH_3,

R^3 is C_1-C_{20}alkoxy, CH_3, $CH_2CHR^4CH_2NHR^5$, or

(2) 

or (3) 

R^4 is H or CH_3,

R^5 is H, $CH_2CH_2NHR^6$, C(=O)-R^7,

R^6 is H or C(=O)-R^7,

R^7 is CH_3, CH_2CH_3 or $CH_2CH_2CH_2OH$,

R^8 is H or CH_3, and

the sum of X and Y is 40 to 1500;

or a dispersed polyorganosiloxane which comprises at least one unit of the formula (5);

(5) $(R^9)_v (R^{10})_w$ Si-A-B

wherein

R^9 is CH_3, CH_3CH_2,

R^{10} is -O-Si or -O-R^9,

the sum of v and w equals 3, and v does not equal 3,

A = $-CH_2CH(R^{11})(CH_2)_K$,

B =

(6) 

n is 1,

U^1 is CH,

k is 0 to 6,

R^{11} is H or CH_3,

R^{13} is OOCN(butyl),

R^{14} is H, linear C_1-C_4 alkyl, phenyl,

R^{15} is H or linear C_1-C_4alkyl, and

U^2 is N;

or a dispersed polyorganosiloxane of the formula (8);

(8) 

wherein

R^3 is as previously defined,

R^{17} is OH, OR^{18} or CH_3,

R^{18} is CH_3 or CH_2CH_3,

R^{19} is R^{20}-$(EO)_m$-$(PO)_n$-R^{21},

m is 3 to 25,

n is 0 to 10,

R^{20} is the direct bond or $CH_2CH(R^{22})(CH_2)_pR^{23}$,

p is 1 to 4,

R^{21} is H, R^{24}, $CH_2CH(R^{22})NH_2$ or $CH(R^{22})CH_2NH_2$,

R^{22} is H or CH_3,

R^{23} is O or NH,

R^{24} is linear or branched C_1-C_3 alkyl or $Si(R^{25})_3$,

R^{25} is R^{24}, OCH_3 or OCH_2CH_3,

EO is $-CH_2CH_2O-$,

PO is $-CH(CH_3)CH_2O-$ or $-CH_2CH(CH_3)O-$, and

the sum of X_1, Y_1 and S is 40 to 1500;

or a dispersed polyorganosiloxane of the formula (9);

(9) 

in which

R^{26} is linear C_1 - C_{20} alkoxy,

R^4 is as previously defined,

R^{29} is linear C_1 - C_{20}alkyl,

R^{27} is, $CH_2CH(R^4)$phenyl and

R^{28} is

(10) 

the sum of X^2, X^3, X^4 and Y^2 is 40 to 1500, wherein X^3, X^4 and Y^2 may be independently of each other 0;

or a mixture thereof.

24. **(new)** A method of use according to claim 22 wherein a polyorganosiloxane of formula (1) is used, wherein

R^1 is OH or CH_3,

R^3 is CH_3, C_{10}-C_{20}alkoxy or $CH_2CHR^4CH_2NHR^5$,

R^4 is H,

R^5 is H or $CH_2CH_2NHR^6$,

R^6 is H or C(=O)-R^7, and

R^7 is CH_3, CH_2CH_3 or $CH_2CH_2CH_2OH$.

25. **(new)** A method of use according to claim 22 wherein a polyorganosiloxane of formula (8) is used, wherein

R^3 is CH_3, C_{10}-C_{20}alkoxy or $CH_2CHR^4CH_2NHR^5$,

R^4 is H,

R^5 is H or $CH_2CH_2NHR^6$,

R^6 is H or C(=O)-R^7,
R^7 is CH_2CH_3, $CH_2CH_2CH_2OH$ or CH_3, and
R_{17} is CH_3 or OH.

26. **(new)** A method of use according to claim 22 wherein a polyorganosiloxane of formula (9) is used, wherein
R^{26} is $CH_2CH(R^4)R^{29}$,
R^4 is H, and
R^{27} is 2-phenyl propyl.

27. **(new)** A method of use according to claim 22 wherein the polyorganosiloxane composition comprises an additional polyorganosiloxane of the formula (11):



wherein g is



and G is C_1 to C_{20} alkyl.

28. **(new)** A method of use according to claim 22 wherein the composition is a liquid aqueous composition.

29. **(new)** A method of use according to claim 22 wherein the composition is used in a tumble dryer sheet composition.

30. **(new)** A method of use according to claim 22 in which the polyorganosiloxane is nonionic or cationic.

31. **(new)** A method of use according to claim 22 in which the composition has a solids content of 5 to 70 % at a temperature of 120° C.

32. **(new)** A method of use according to claim 22 in which the composition contains a water content of 25 to 90 % by weight based on the total weight of the composition.

33. **(new)** A method of use according to claim 22 in which the composition has a pH value from 2 to 7.

34. **(new)** A method of use according to claim 22 in which the nitrogen content of the aqueous emulsion due to the polyorganosiloxane is from 0 to 0.25 % with respect to the silicon content.

35. **(new)** A method of use according to claim 22 wherein the composition comprises a polyethylene, a fatty acid alkanolamide or a polyurethane.

36. **(new)** A method of use according to claim 22 wherein the composition comprises a polyethylene or a fatty acid alkanolamide.

37. **(new)** A method of use according to claim 22 wherein the composition comprises a fatty acid alkanolamide.

38. **(new)** A method of use according to claim 22 wherein the composition comprises a polyethylene.

39. **(new)** A method of use according to claim 22 wherein the composition is prepared by mixing a preformulated fabric softener with an emulsion comprising the polyorganosiloxane and the additive.

40. **(new)** A method of use according to claim 22 wherein composition has a clear appearance.

41. **(new)** A method of use according to claim 22 in which the composition comprises:
a) 0.01 to 70 % by weight, based on the total weight of the composition, of a polyorganosiloxane, or a mixture thereof;
b) 0.2 to 25 % by weight based on the total weight of an emulsifier, or a mixture thereof;
c) 0.01 to 15 % by weight based on the total weight of at least one additive selected from the group consisting of a polyethylene, a fatty acid alkanolamide, a polysilicic acid and a polyurethane, and
d) water to 100 %.